



**Gibson-Thomas**  
ENGINEERING

**Latrobe Corporate Office**  
1004 Ligonier Street, PO Box 853  
Latrobe, PA 15650  
Phone: **724-539-8562**  
Fax: **724-539-3697**  
**www.gibson-thomas.com**

# Addendum #2

**PROJECT:** Fayette County Commissioners  
Dunlap Creek Trail Project  
Contract – 1/2024

**BID OPENING:** October 10th @ 3:00 p.m.

**TO:** ALL PLAN HOLDERS

Date: October 7, 2024  
cc: Fayette County Commissioners

## ADDENDUM NO. 2

### Clarifications for Project:

- 1) Parking area and other areas that are owned by the County can be used to stock pile materials as long as they are cleaned up and are left in the same condition as found.
- 2) Trail and pipe stake out is the responsibility of the Contractor and is covered under the Construction Surveying item.
- 3) A CAD file for GPS use may be made available to the winning Contractor upon request.
- 4) The Contractor shall provide as-builts for the project when completed.

### Proposal Sheet:

**Please see the attached updated bid sheet to be replace and be used instead of the original.**

#### PHASE 1 BASE-BID has the following line items added:

- Item 27 – Post Mounted Signs, Type B
- Item 28- Post Mounted Signs, Type F
- Item 29- 4" Blue Hot Thermoplastic Pavement Markings
- Item 30- Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"

#### ALTERNATE 1- ACESS TRAIL 1 has the following line items added:

- Item 6 – Post Mounted Signs, Type B
- Item 7- Post Mounted Signs, Type F
- Item 8- 4" Blue Hot Thermoplastic Pavement Markings
- Item 9- Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"

**ESTABLISHED 1916**

ALTERNATE 2- ACCESS TRAIL 2 has the following line items added:

- Item 6 – Post Mounted Signs, Type B
- Item 7- Post Mounted Signs, Type F
- Item 8- Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"

PHASE 2 BASE-BID has the following line items added:

- Item 28 – Post Mounted Signs, Type B
- Item 29- Post Mounted Signs, Type F
- Item 30- 4" Blue Hot Thermoplastic Pavement Markings
- Item 31- Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"
- Item 32- DCNR Funding Acknowledgement Sign

### **ADDENDUM #2 – Contract 1/2024 – Dunlap Creek Trail Project**

**Please acknowledge receipt of this addendum by signing accordingly and returning this page by email.**

---

Name of Company (please print)

---

Signature

---

Date

ADDENDUM#2

The following unit price schedule was used to compute the bid total. Should the amount of construction items be increased or decreased, the undersigned agrees that the following unit prices will be used for any adjustments. The sum of the unit prices must equal the total shown on the first page of this Proposal.

Fayette County Commissioners

Dunlap Creek Trail

Contract 1/2024

PHASE 1 BASE BID

| Item         | Description                                                                                                         | Quantity | Unit Price | Total |
|--------------|---------------------------------------------------------------------------------------------------------------------|----------|------------|-------|
| 1 0201-0001  | Clearing and Grubbing                                                                                               | 1 LS     | \$ /LS     | \$    |
| 2 0203-0001  | Class 1 Excavation                                                                                                  | 1965 CY  | \$ /CY     | \$    |
| 3 0205-0100  | Foreign Borrow Excavation                                                                                           | 1165 CY  | \$ /CY     | \$    |
| 4 0205-0281  | Selected Borrow Excavation, Coarse Aggregate, No. 1                                                                 | 170 CY   | \$ /CY     | \$    |
| 5 0212-0014  | Geotextile, Class 4, Type A                                                                                         | 83 SY    | \$ /SY     | \$    |
| 6 0212-0016  | Geotextile, Class 4, Type C                                                                                         | 511 SY   | \$ /SY     | \$    |
| 7 0313-0321  | Superpave Asphalt Mixture Design, Base Course, PG 64S-22, <0.3<br>Million ESALS, 25.0 MM Mix, 3 1/2" Depth          | 3332 SY  | \$ /SY     | \$    |
| 8 0350-0104  | Subbase 4" Depth (No. 2A)                                                                                           | 3332 SY  | \$ /SY     | \$    |
| 9 0413-0195  | Superpave Asphalt Mixture Design, Wearing Course, PG 64S-22, <0.3<br>Million ESALS, 9.5 MM Mix, 1 1/2" Depth, SRL-L | 3332 SY  | \$ /SY     | \$    |
| 10 0601-0352 | 15" Thermoplastic Pipe, Group III, 8'-2' Fill                                                                       | 22 LF    | \$ /LF     | \$    |
| 11 0601-0353 | 18" Thermoplastic Pipe, Group III, 8'-2' Fill                                                                       | 54 LF    | \$ /LF     | \$    |
| 12 4608-0001 | Mobilization, Per Phase                                                                                             | 1 LS     | \$ /LS     | \$    |
| 13 4686-0010 | Construction Surveying, Type A, Per Phase                                                                           | 1 LS     | \$ /LS     | \$    |

|                     |           |                                                                          |         |        |                                   |
|---------------------|-----------|--------------------------------------------------------------------------|---------|--------|-----------------------------------|
| 14                  | 0804-0027 | Seeding and Soil Supplements - Formula L Clear Zone Mix, Including Mulch | 184 LB  | \$ /LB | \$                                |
| 15                  | 0804-0032 | Seeding - Formula T Temporary Grass Mix, Including Mulch                 | 38 LB   | \$ /LB | \$                                |
| 16                  | 0806-0110 | Temporary Short-Term, Rolled Erosion Control Product, Type 2A            | 3837 SY | \$ /SY | \$                                |
| 17                  | 0806-0140 | Permanent Rolled Erosion Control Product, Type 5A                        | 1598 SY | \$ /SY | \$                                |
| 18                  | 0810-0023 | Tree Trimming To A Max Height of 20'                                     | 1 LS    | \$ /LS | \$                                |
| 19                  | 0849-0010 | Rock Construction Entrance                                               | 1 EA    | \$ /EA | \$                                |
| 20                  | 0850-0022 | Rock, Class R-4                                                          | 40 CY   | \$ /CY | \$                                |
| 21                  | 0855-0003 | Pumped Water Filter Bag                                                  | 3 EA    | \$ /EA | \$                                |
| 22                  | 0867-0012 | Compost Filter Sock, 12" Diameter                                        | 2877 LF | \$ /LF | \$                                |
| 23                  | 9000-0001 | 6 Inch Pipe                                                              | 180 LF  | \$ /LF | \$                                |
| 24                  | 9000-0002 | Infiltration Berm                                                        | 32 EA   | \$ /EA | \$                                |
| 25                  | 9000-0003 | Temporary Pump Bypass                                                    | 3 EA    | \$ /EA | \$                                |
| 26                  | 9000-0004 | Amended Soil                                                             | 213 CY  | \$ /CY | \$                                |
| 27                  | 0931-0001 | Post Mounted Signs, Type B                                               | 6 SF    | \$ /SF | \$                                |
| 28                  | 0935-0001 | Post Mounted Signs, Type F                                               | 3 SF    | \$ /SF | \$                                |
| 29                  | 0960-2000 | 4" Blue Hot Thermoplastic Pavement Markings                              | 197 LF  | \$ /LF | \$                                |
| 30                  | 0960-2001 | Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"         | 4 EA    | \$ /EA | \$                                |
| *Complete-in-place. |           |                                                                          |         |        | <b>TOTAL BASE BID- PHASE 1 \$</b> |

**ALTERNATE 1 - Access Trail 1**

| Item                | Description                                                                                                         | Quantity | Unit Price | Total                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------|----------|------------|---------------------------------|
| 1 0203-0001         | Class 1 Excavation                                                                                                  | 109 CY   | \$ /CY     | \$                              |
| 2 0205-0100         | Foreign Borrow Excavation                                                                                           | 26 CY    | \$ /CY     | \$                              |
| 3 0313-0321         | Superpave Asphalt Mixture Design, Base Course, PG 64S-22, <0.3 Million<br>ESALS, 25.0 MM Mix, 3 1/2" Depth          | 188 SY   | \$ /SY     | \$                              |
| 4 0350-0104         | Subbase 4" Depth (No. 2A)                                                                                           | 188 SY   | \$ /SY     | \$                              |
| 5 0413-0195         | Superpave Asphalt Mixture Design, Wearing Course, PG 64S-22, <0.3<br>Million ESALS, 9.5 MM Mix, 1 1/2" Depth, SRL-L | 188 SY   | \$ /SY     | \$                              |
| 6 0931-0001         | Post Mounted Signs, Type B                                                                                          | 6 SF     | \$ /SF     | \$                              |
| 7 0935-0001         | Post Mounted Signs, Type F                                                                                          | 3 SF     | \$ /SF     | \$                              |
| 8 0960-2000         | 4" Blue Hot Thermoplastic Pavement Markings                                                                         | 127 LF   | \$ /LF     | \$                              |
| 9 0960-2001         | Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"                                                    | 3 EA     | \$ /EA     | \$                              |
| *Complete-in-place. |                                                                                                                     |          |            | <b>TOTAL ALTERNATE 1 BID \$</b> |

**ALTERNATE 2 - Access Trail 2**

| Item                | Description                                                                                                         | Quantity | Unit Price | Total                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------|----------|------------|---------------------------------|
| 1 0203-0001         | Class 1 Excavation                                                                                                  | 51 CY    | \$ /CY     | \$                              |
| 2 0205-0100         | Foreign Borrow Excavation                                                                                           | 16 CY    | \$ /CY     | \$                              |
| 3 0313-0301         | Superpave Asphalt Mixture Design, Base Course, PG 64S-22, <0.3 Million                                              |          |            |                                 |
| 0313-0321           | ESALS, 25.0 MM Mix, 4 1/2" Depth                                                                                    | 215 SY   | \$ /EA     | \$                              |
| 4 0350-0104         | Subbase 4" Depth (No. 2A)                                                                                           | 215 SY   | \$ /SY     | \$                              |
| 5 0413-0195         | Superpave Asphalt Mixture Design, Wearing Course, PG 64S-22, <0.3<br>Million ESALS, 9.5 MM Mix, 1 1/2" Depth, SRL-L | 215 SY   | \$ /SY     | \$                              |
| 6 0931-0001         | Post Mounted Signs, Type B                                                                                          | 8 SF     | \$ /SF     | \$                              |
| 7 0935-0001         | Post Mounted Signs, Type F                                                                                          | 2 SF     | \$ /SF     | \$                              |
| 8 0960-2001         | Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11"                                                    | 5 EA     | \$ /EA     | \$                              |
| *Complete-in-place. |                                                                                                                     |          |            | <b>TOTAL ALTERNATE 2 BID \$</b> |

**PHASE 2 BASE BID**

| Item | Description                                                                                                                   | Quantity | Unit Price | Total |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-------|
| 1    | 0201-0002 Clearing and Grubbing                                                                                               | 1 LS     | \$ /LS     | \$    |
| 2    | 0203-0001 Class 1 Excavation                                                                                                  | 3441 CY  | \$ /CY     | \$    |
| 3    | 0205-0100 Foreign Borrow Excavation                                                                                           | 1962 CY  | \$ /CY     | \$    |
| 4    | 0205-0281 Selected Borrow Excavation, Coarse Aggregate, No. 1                                                                 | 293 CY   | \$ /CY     | \$    |
| 5    | 0212-0014 Geotextile, Class 4, Type A                                                                                         | 124 SY   | \$ /SY     | \$    |
| 6    | 0212-0016 Geotextile, Class 4, Type C                                                                                         | 880 SY   | \$ /SY     | \$    |
| 7    | 0313-0321 Superpave Asphalt Mixture Design, Base Course, PG 64S-22, <0.3 Million<br>ESALS, 25.0 MM Mix, 3 1/2" Depth          | 4747 SY  | \$ /SY     | \$    |
| 8    | 0350-0104 Subbase 4" Depth (No. 2A)                                                                                           | 4747 SY  | \$ /SY     | \$    |
| 9    | 0413-0195 Superpave Asphalt Mixture Design, Wearing Course, PG 64S-22, <0.3 Million<br>ESALS, 9.5 MM Mix, 1 1/2" Depth, SRL-L | 4747 SY  | \$ /SY     | \$    |
| 10   | 0601-0313 18" Thermoplastic Pipe, Group I, 15'-1.5' Fill                                                                      | 52 LF    | \$ /LF     | \$    |
| 11   | 0601-0317 30" Thermoplastic Pipe, Group I, 15'-1.5' Fill                                                                      | 40 LF    | \$ /LF     | \$    |
| 12   | 4608-0001 Mobilization, Per Phase                                                                                             | 1 LS     | \$ /LS     | \$    |
| 13   | 4686-0010 Construction Surveying, Type A, Per Phase                                                                           | 1 LS     | \$ /LS     | \$    |
| 14   | 0804-0027 Seeding and Soil Supplements - Formula L Clear Zone Mix, Including Mulch                                            | 317 LB   | \$ /LB     | \$    |
| 15   | 0804-0032 Seeding - Formula T Temporary Grass Mix, Including Mulch                                                            | 66 LB    | \$ /LB     | \$    |
| 16   | 0806-0110 Temporary Short-Term, Rolled Erosion Control Product, Type 2A                                                       | 6603 SY  | \$ /SY     | \$    |

|                     |                                   |                                                                  |                                  |              |          |
|---------------------|-----------------------------------|------------------------------------------------------------------|----------------------------------|--------------|----------|
| 17                  | 0806-0140                         | Permanent Rolled Erosion Control Product, Type 5A                | 2750 SY                          | \$ _____ /SY | \$ _____ |
| 18                  | 0810-0023                         | Tree Trimming To A Max Height of 20'                             | 1 LS                             | \$ _____ /LS | \$ _____ |
| 19                  | 0811-0003                         | Temporary Protective Fence                                       | 870 LF                           | \$ _____ /LF | \$ _____ |
| 20                  | 0849-0010                         | Rock Construction Entrance                                       | 3 EA                             | \$ _____ /EA | \$ _____ |
| 21                  | 0850-0022                         | Rock, Class R-4                                                  | 63 CY                            | \$ _____ /CY | \$ _____ |
| 22                  | 0855-0003                         | Pumped Water Filter Bag                                          | 2 EA                             | \$ _____ /EA | \$ _____ |
| 23                  | 0867-0012                         | Compost Filter Sock, 12" Diameter                                | 4950 LF                          | \$ _____ /LF | \$ _____ |
| 24                  | 9000-0001                         | 6 Inch Pipe                                                      | 180 LF                           | \$ _____ /LF | \$ _____ |
| 25                  | 9000-0002                         | Infiltration Berm                                                | 47 EA                            | \$ _____ /EA | \$ _____ |
| 26                  | 9000-0003                         | Temporary Pump Bypass                                            | 2 EA                             | \$ _____ /EA | \$ _____ |
| 27                  | 9000-0004                         | Amended Soil                                                     | 367 CY                           | \$ _____ /CY | \$ _____ |
| 28                  | 0931-0001                         | Post Mounted Signs, Type B                                       | 8 SF                             | \$ _____ /SF | \$ _____ |
| 29                  | 0935-0001                         | Post Mounted Signs, Type F                                       | 1 SF                             | \$ _____ /SF | \$ _____ |
| 30                  | 0960-2000                         | 4" Blue Hot Thermoplastic Pavement Markings                      | 186 LF                           | \$ _____ /LF | \$ _____ |
| 31                  | 0960-2001                         | Blue Hot Thermoplastic Legend, "Handicap Symbol", 3'-3" x 2'-11" | 5 EA                             | \$ _____ /EA | \$ _____ |
| 32                  | DCNR Funding Acknowledgement Sign |                                                                  | 1 EA                             | \$ _____ /EA | \$ _____ |
| *Complete-in-place. |                                   |                                                                  | TOTAL BASE BID- PHASE 2 \$ _____ |              |          |